

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1924	257/686.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	1627	257/777.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	1900	257/723.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1	"5648684".pn.	US-PGPUB; USPAT; USOCR
5	BRS	L5	1	"5313096".PN.	USPAT; USOCR
6	BRS	L6	1	"5293061".PN.	USPAT; USOCR
7	BRS	L7	1	"5270261".PN.	USPAT; USOCR
8	BRS	L8	1	"6611052".pn.	US-PGPUB; USPAT; USOCR
9	BRS	L9	1	"6451624".PN.	USPAT; USOCR
10	BRS	L10	1	"6429509".PN.	USPAT; USOCR
11	BRS	L11	1	"6420789".PN.	USPAT; USOCR
12	BRS	L12	1	"6310390".PN.	USPAT; USOCR
13	BRS	L13	1	"6278616".PN.	USPAT; USOCR
14	BRS	L14	1	"6274929".PN.	USPAT; USOCR
15	BRS	L15	1	"6208546".PN.	USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	1	"5995379".PN.	USPAT; USOCR
17	BRS	L17	1	"5796038".PN.	USPAT; USOCR
18	BRS	L18	1	"5789803".PN.	USPAT; USOCR
19	BRS	L19	1	"5763939".PN.	USPAT; USOCR
20	BRS	L20	1	"5723901".PN.	USPAT; USOCR
21	BRS	L21	1	"5723900".PN.	USPAT; USOCR
22	BRS	L22	1	"5677566".PN.	USPAT; USOCR
23	BRS	L23	1	"5633530".PN.	USPAT; USOCR
24	BRS	L24	1	"5562971".PN.	USPAT; USOCR
25	BRS	L25	1	"5266912".PN.	USPAT; USOCR
26	BRS	L26	1	"5229647".PN.	USPAT; USOCR
27	BRS	L27	1	"5063177".PN.	USPAT; USOCR
28	BRS	L28	1	"4996587".PN.	USPAT; USOCR
29	BRS	L29	1	"4505799".PN.	USPAT; USOCR
30	BRS	L30	560	257/730.ccls.	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
31	BRS	L31	649	((pad or terminal or electrode) and first and second and third and (wiring or conduct\$3) and (side or edge or peripher\$2) and (insulat\$3 or passivat\$3 or resin or adhesive) and (support or plate)).clm.	US-PGPUB
32	BRS	L32	145	((chip or die) and (pad or terminal or electrode) and first and second and third and (wiring or conduct\$3) and (side or edge or peripher\$2) and (insulat\$3 or passivat\$3 or resin or adhesive) and (support or plate)).clm.	US-PGPUB
33	BRS	L33	118	L30 and (chip or die) and (pad or terminal or electrode) and first and second and third and (wiring or conduct\$3) and (side or edge or peripher\$2) and (insulat\$3 or passivat\$3 or resin or adhesive) and (support or plate)	US-PGPUB; USPAT; USOCR
34	BRS	L34	1	"20020166686".PN.	US-PGPUB
35	BRS	L35	1	"6472724".PN.	USPAT; USOCR
36	BRS	L36	1	"6444372".PN.	USPAT; USOCR
37	BRS	L37	1	"6114751".PN.	USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
38	BRS	L38	1	"5864088".PN.	USPAT; USOCR
39	BRS	L39	1	"5151769".PN.	USPAT; USOCR
40	BRS	L40	379	L2 and (chip or die) and (pad or terminal or electrode) and first and second and third and (wiring or conduct\$3) and (side or edge or peripher\$2) and (insulat\$3 or passivat\$3 or resin or adhesive) and (support or plate)	US-PGPUB; USPAT; USOCR
41	BRS	L41	66	L40 and first adj (wiring or conduct\$3)	US-PGPUB; USPAT; USOCR
42	BRS	L42	358	257/730.ccls.	EPO; JPO; DERWENT; IBM_TDB
43	BRS	L43	134	257/777.ccls.	EPO; JPO; DERWENT; IBM_TDB
44	BRS	L44	217	257/686.ccls.	EPO; JPO; DERWENT; IBM_TDB